RESOLUTION NO. 33-2021

Introduced by Mark Claus

A RESOLUTION AUTHORIZING THE CITY MANAGER TO AWARD THE CONTRACT FOR THE PURCHASE OF A 2022 FORD F550 4X4 REGULAR CAB DUMP TRUCK TO VALLEY FORD TRUCK, INC. IN THE AMOUNT OF NINETY-NINE THOUSAND SIX AND 00/100 DOLLARS (\$99,006.00)

BE IT RESOLVED BY THE COUNCIL OF THE CITY OF HURON, OHIO:

SECTION 1. That the City having secured a proposal under State Government Pricing for a 2022 Ford F550 4X4 Regular Cab Dump Truck, this Council hereby authorizes and directs the City Manager to award the contract to Valley Ford Truck, Inc. in the amount of Ninety-Nine Thousand Six and 00/100 dollars (\$99,006.00) as set forth in the quote attached hereto as Exhibit "A" and made a part hereof.

SECTION 2. That this Council hereby finds and determines that all formal actions relative to the adoption of this Resolution were taken in an open meeting of this Council and that all deliberations of this Council and of its Committees, if any, which resulted in formal action, were taken in meetings open to the public in full compliance with applicable legal requirements, including O.R.C. §121.22.

SECTION 3. This Resolution shall be in full force and effect from and immediately following its adoption.

Monty Tapp, Vice-Mayor

ATTEST:

Clerk of Council

ADOPTED:

5 MAY ZUZI















Valley Ford Truck Inc., 5715 Canal Rd, Cleveland Oh 44125

Valley Ford of Huron Inc. 55 Cleveland Rd East Huron Ohio 44839

MAY 17, 2021

CITY OF HURON STEVE DIDELOT steve.didelot@huronohio.us STATE OF OHIO RS907120 GOVERNMENT PRICE INDEX RS7019720 2022 FORD F550 4X4 REGULAR CAB 145" WHEELBASE CAB CHASSIS AS EQUIPPED:

BASE PKG: 660A

ENGINE: 7.3L V8 GAS

TRANSMISSION: 10 SPEED AUTOMATIC REAR AXLE: 4.88 LIMITED SLIP

GVWR: 19,000LB

TIRES: 225/70R 19.5G BSW ALL SEASON

WHEELS: 19.5" ARGENT PAINTED STEEL

SEAT: HD VINLY 40/20/40 FRONT SEAT

RADIO: AM FM RADIO

CONV: AIR CONDITIONING

CA: 60"

472: 50 STATE EMISSION

BRAKES: 4 WHEEL ABS

SAFETY: SAFETY CANOPY SYSTEMS CURTAIN, 1ST ROW

DUAL FRONT AIR BAGS

473: SNOW PLOW PREP PKG

66S: UPFITTER SWITCHES

18B: CAB STEPS

62R: PTO PROVISION

52B: ELECTRIC BRAKE

76C: BACKUP ALARM

43C: 110V/400W OUTLET

90L: POWER GROUP

86M: DUAL BATTERY

67B: 397 AMP ALTERNATOR

EXTERIOR COLOR: WHITE

INTERIOR COLOR: MEDIUM EARTH GRAY

EQUIPMENT: PER ATTACHED

COST.....\$99,006.00

MUNICIPAL LEASE, 5 YEAR TERM, 1 PAYMENT PER YEAR, IS \$21,409.00

Steve, due to the pandemic and chip shortage, delivery is approximately 30 plus weeks out. Pricing includes Bank fee for the lease.

I will call you to follow up but please feel free to call me anytime with any questions, (216)524-2400.

Jenny Loveland

Regards, Jenny Loveland Government Sales Manager



PRODUCTS, INC.

2177 STATE ROUTE 19 BUCYRUS, OH 44820 PHONE: 419-617-7509 FAX: 563-927-7106 **CUSTOMER QUOTE**

Page 1 Quote #146816 Rev #47

To: VALLEY FORD TRUCK INC

Attn: JENNY LOVELAND Quote Date: 5/7/2021 Valid Until: 6/6/2021 Quoted By: Ross Repp Phone: 419-617-7509 Cell: 4195696166

Fax:

Email: rrepp@hendersonproducts.com

Quoted:

F550 Snow and Ice Control Truck Equipment Package

Henderson Products is pleased to present the following quote. Please contact us if you have any questions.

Mark III utility sized single axle dump body

Body Length: 9' body length

Side / Tailgate Height: 18" side height / 24" tailgate height 3.5/4.7 yd

Hoist Type: Telescopic hoist, trunion mount

Hoist Cylinder: CS 85-4.5-3 double acting cylinder ILO standard

Pump Pack: None - deduct standard pump pack Side Construction: Double Wall 12 ga FIXED Sides Optional Sides/Ends Materials: 201SS sides and ends

Optional Floor Materials: 3/16" AR400 floor ILO std grade 50

Tailgate Style: Standard Dump Tailgate-Requires Pin Removal for Lay Down

Coal Chute: 201SS steel, 9" x 12"

Coal Chute Location: Installed in Center of Tailgate

Headsheet Type: Straight headsheet with integral 53" cabshield clearance

Integral Cabshield Notice: !!!DEALER TO VERIFY CHASSIS CAB CLEARANCE PRIOR TO ORDER!!!

Option 1 Description: 2 LIGHT HOLES IN REAR BOLSTER

Option 2 Description: 4 LIGHT HOLES IN CS: 2 FRONT 1 FACE EACH SIDE

Option 3 Description: PULL OUT LADDER 140956.201

Option 4 Description: DEDUCT FACTORY LIGHT KIT

Option 5 Description: TAILGATE LIFT LOOP. CENTER OUTSIDE (SS)

RTS - Replacement tailgate spreader

SPREADER & AUGER MATERIAL: 304SS SPINNER SUPPORT KIT: Spinner kit

Option 1 Description: 201SS ILO 304SS

Installation Workup

Facility: IDC-OH

Chassis Delivery To Henderson: Truck Dealer/Customer Delivers

Completed Truck Delivery Method: Henderson Delivers (100 miles or less)

Chassis Make: Ford

Chassis Model Yr: 2021/22









PRODUCTS, INC.

2177 STATE ROUTE 19 BUCYRUS, OH 44820 PHONE: 419-617-7509 FAX: 563-927-7106 **CUSTOMER QUOTE**

Page 2 Quote #146816 Rev #47

Chassis Model: F550 Useable CA/CT: 60

Pump Location: Transmission Mount Pump

Transmission Type: Automatic

Front Plow Type: Western/Fisher Type Plow

Western/Fisher Plow Spec: WESTERN PLOW 9 FOOT PRO PLUS

Plow Options 1: HANDHELD CONTROLS
Plow Options 2: INSTALL ULTRA MOUNT

Dump Body Type: Mark Three Floor Length: 9' floor length

Hoist Type: Telescopic Hoist w/ Subframe

Cylinder Type: Double Acting

Body Material (Sides/ends): Stainless Steel Type Body Material

Cabshield Install: Supl'd by fact, welded to body @ IDC, sales to order w/ unit

Grab Handle(s): (1) IDC supplied/installed grab handle (select type below)

Grab Handle 1 Type: SS 17" grab handle

Ladder(s): Supplied by factory, Install @ IDC (sales to order w/ unit)
Ladder Install QTY (Dump): (1) LADDER INSTALLED @ IDC (LABOR ONLY)

Ladder Install Style (Dump) 1: 3 Step Pull Out Ladder Install Loc 1 (Dump): Driver Side Front

Shovel Holder: (1) IDC Supl'd Spring Loaded SS Shovel Holder w/ SS brokt

Shovel Holder Loc (1): Driver side body

Sideboards: Wood (Un-Painted), supplied/installed by IDC

Sideboard Spec: 12X2X10FT HARDWOOD #164059 x1

Sideboard Notes:

RIP SIDE BOARD IN HALF

Tarp Brand: US Tarp (order 86" c/s if using integral shield)

Tarp System: Electric Tarp, Straight Arms, w/ Wind Deflector

Tarp Material: Black Vinyl (Asphalt rated)

Tarp Length: 13' Body Length or Shorter (BV, US)

Fuel Fill Neck Mod, Ford/Dodge: Yes

Body Install Options 1: WELD HOOKS TO UNDER BODY 3 EACH SIDE #85799.304X6

Body Spec Notes:

ELECTRIC SWITCH FOR TARP TO BE INSTALLED ON SIDE OF HYDRAULIC CONTROLS FLOOR BOX

Spreader Type: RTS

RTS Drive Type: Hydraulic Drive

RTS Spinner Configuration: Single Spinner Install

HYD QD Mount Brackets: Stainless Steel QD Mount in front of dump body bolster

Chassis Accessories: Yes (SELECT RELATED OPTIONS BELOW)

Mudflaps (Rear): Stationary w/o Logo

Mudflap Type (Rear): 36" Stationary, SS (No LOGO)

Fenders: 1 Ton, Poly Fenders, SS Mount









PRODUCTS, INC.

Page 3 Quote #146816 Rev #47

CUSTOMER QUOTE

2177 STATE ROUTE 19 BUCYRUS, OH 44820 PHONE: 419-617-7509 FAX: 563-927-7106

Pintle Plate: Yes (select from options below)

Pintle Plate Configuration: 1 Ton, 5/8" Plate, PH20 Holes (w/3LTC)

Pintle Plate D-Rings: Qty (2) 1" D-rings, 50 deg bend

Pintle Hook: 20 Ton

Trailer Plug (1): 7 Pin Trailer Plug, Truck end 7-Way RV, new style (municipal)

Truck Wash: Complete Truck Wash/Clean/Vac 1

Warranty: Standard 1 Year Warranty
Inspection: Walk-around meeting only

Reflective Tape: Reflective Tape, Henderson Logo (60' Linear)

Install Touch-up: Basic Installation Touch-Up

Electrical: Yes (SELECT RELATED OPTIONS BELOW)
Power Distribution Panel: Power Distribution Panel
Misc Electrical Supplies: Req'd Misc Elect Supplies
Worklight(s) QTY: (QTY 1) Work Light (Select type below)
Worklight (1) Type: LED, Worklight, 4in Round (Optilux)

Worklight (1) Gen Location: Rear Spinner Cabshield Warning Light Qty: Qty 6 Lights (Order Holes with Unit)

Cabshield Warning Lights: QTY 6, 6" LED Oval Strobes, Amber (order holes w/unit)

Cabshield Lighting Harness: Cabshield Warning Lights Only (qty 2-6)
Rear Dump Bolster (S/T/T): LED S/T/T/BU, MK3, Grote harness light kit

OEM Light Remount: Remount OEM Chassis Lights

Rear Dump Bolster Strobes: 6" LED Oval Strobes, Amber, 1 PR, (order holes w/unit)

Rear Dump Bolster Light Boxes: Single Oval, 6" SS Lightboxes, Pair, Externally Mounted

Back up alarm: Relocate chassis supplied b/u alarm (verify if incl w/ OEM)
Junction Box/Backup Alarm Bracket: Backup Alarm Bracket Installed
Backbone & Wire Standoffs: 10' Backbone (For SA)

Electrical Install Opt 1: LIGHT BOX TO BE INSTALLED ON SIDE OF CS WITH AMBER STROBE

Electrical Spec Notes:

Hydraulics: 1 ton package

Hydraulic System Type: Central Hydraulic System (Transmission Mnt)

System Spec/Quote: CERTIFIED POWER 18340043
Valve Enclosure Type: Supplied With Hydraulics
SS Tubing Upgrade: 1 Ton Kit (w/spreader)
Quick Coupler Upgrade: Standard Quick Couplers

Hydraulics Notes:









CUSTOMER QUOTE

Page 4

PRODUCTS, INC.

2177 STATE ROUTE 19 BUCYRUS, OH 44820 PHONE: 419-617-7509 FAX: 563-927-7106

- *CABLE CONTROL FOR DUMP FUNCTION
- *FREEDOM 2.1 WITH RAM MOUNT
- *SS VALVE ENCLOSURE/OIL RESERVOIR 20 GALLON
- *STAINLESS STEEL QUICK COUPLERS
- *HOT SHIFT PTO
- *PUMP SET GAS ENGINE

IDC Paint Location: IDC-OH

Undercoat: Undercoat (Body Underside & Chassis)

Paint Code & Color (from color charts):

Single Package: \$53,934.00

Package(s) : 1 Total: \$53,934.00

Sales tax may apply to this order but is not included in the package total. If you are tax exempt, please submit your exemption certificate to finance@hendersonproducts.com. Due to current raw material market conditions this quote includes a surcharge on Henderson equipment. Quotes exceeding the expressed quote validity date are subject to surcharge revisions.

Signed:	188	Date:	5/26/21
---------	-----	-------	---------

Quote notes:





