RESOLUTION NO. 91-2022

Introduced by William Biddlecombe

A RESOLUTION AUTHORIZING THE CITY MANAGER TO ACCEPT THE PROPOSAL AND ENTER INTO AN AGREEMENT WITH COMPUTERS THAT WORK!, INC., DBA VTECHIO, FOR THE PURCHASE OF TWO (2) COMPUTER SERVERS AND ONE (1) STORAGE ARRAY IN AN AMOUNT NOT TO EXCEED SEVENTY-SEVEN THOUSAND EIGHT HUNDRED THIRTY-NINE AND 32/100 DOLLARS (\$77,839.32)

BE IT RESOLVED BY THE COUNCIL OF THE CITY OF HURON, OHIO:

<u>SECTION 1</u>. The Huron City Council authorizes the City Manager to accept the proposal and enter into an Agreement with Computers that Work!, Inc., dba vTECHio, to purchase two computer servers (one (1) PowerEdge R550 Server, and one (1) PowerEdge R650 Server) and one (1) Dell ME5024 Storage Array in an amount not to exceed Seventy-Seven Thousand Eight Hundred Thirty-Nine and 32/100 Dollars (\$77,839.32). A copy of the Proposal is attached hereto and made a part hereof.

SECTION 2: That this Council hereby finds and determines that all formal actions relative to the adoption of this Resolution were taken in an open meeting of the Council and that all deliberations of this Council and of its committees, if any, which resulted in formal action, were taken in meetings open to the public in full compliance with applicable legal requirements, including O.RC. §121.22 of the Revised Code.

SECTION 3: This Resolution shall be in full force and effect from and immediately following its adoption.

Monty Tapp, Mayor

ATTEST:

Clerk of Council

ADOPTED:

OCT 2022

Computers At Work!, Inc.

VTECH io EIN: 31-1758837 2338 Immokalee Rd. #151 Naples, FL 34110 Phone: (239) 514-2888 Fax: (239) 236-2232

www.vTECHio.com

PROPOSAL CAWQ25350

Quoted: Sep 23, 2022 **Expires:** Oct 23, 2022

| Prepared For: | Ship To: | Presented By: |
|--|---|--|
| City of Huron | City of Huron | Jon Vandertill |
| Stuart Hamilton | Stuart Hamilton | jon.vandertill@vTECHio.com |
| 417 Main Street Huron, OH 44839 United States | 417 Main Street Huron, OH 44839 United States | (440) 715-3591 To accept this proposal, sign here and return: |
| Phone (419) 433-5000 Email stuart.hamilton@huronohio.us | | Date: 10/12/2022 |

| Please | Please review quote for shipping address and accuracy of each item BEFORE placing order. | | Terms: | Net 30 Day | Days | |
|--------|--|-----------|-------------|------------|-------------|--|
| Line# | Description | Product # | Unit Price | Qty | Ext. Price | |
| 1 | Dell ME5024 Storage Array | 210-BBOO | \$34,383.59 | 1 | \$34,383.59 | |
| | 25Gb iSCSI 8 Port Dual Controller | 403-BCPG | | | | |
| | Rack Rails 2U | 770-BECR | | | | |
| | ME Series 2U Bezel | 325-BDDO | | | | |
| | Power Supply, 580W, Redundant, WW | 450-AHSQ | | | | |
| | Dell EMC ME5024 Shipping | 340-CWRP | | | | |
| | Dell Hardware Limited Warranty | 871-8034 | | | | |
| | ProSupport Mission Critical 4-Hour 7X24 Onsite Service with Emergency Dispatch 3 Years | 871-8040 | | | | |
| | ProSupport Mission Critical 7X24 Technical Support and Assistance 3 Years | 871-8041 | | | | |
| | Thank you choosing Dell ProSupport. For tech support, visit //www.dell.com/support or call 1-800- 945-3355 | 989-3439 | | | | |
| | Dell Networking, Cable, SFP28 to SFP28, 25GbE, Passive Copper Twinax Direct Attach Cable, 2 Meter | 470-ACET | | 6 | | |
| | Hard Drive Filler 2.5in, single blank | 400-AEPR | | 12 | | |
| | 1.92TB SSD SAS ISE Read Intensive 12Gbps 512 2.5in Hot-plug AG Drive | 400-AXPB | | 12 | | |
| | Powercord,125 Volt,15Amp,10 Foot, C13 to NEMA 5-15 | 450-AAME | | | | |
| | Powercord,125 Volt,15Amp,10 Foot, C13 to NEMA 5-15 | 450-AAME | | | | |
| 2 | PowerEdge R550 Server | 210-AZEG | \$8,313.49 | 1 | \$8,313.49 | |
| | 3.5 Chassis | 379-BDSZ | | | | |
| | SAS/SATA Backplane | 379-BDSS | | | | |
| | Trusted Platform Module 2.0 V3 | 461-AAIG | | | | |
| | 8x3.5" SAS/SATA, 1 CPU | 321-BGSH | | | | |
| | Intel Xeon Silver 4309Y 2.8G, 8C/16T, 10.4GT/s, 12M Cache, Turbo, HT (105W) DDR4-2666 | 338-CBWI | | | | |
| | No Additional Processor | 374-BBBX | | | | |
| | Standard Heatsink | 412-AAVU | | | | |
| | CPU Blank | 412-AAXI. | | | | |
| | | | | | | |

| Line# | Description | Product# | Unit Price | Qty | Ext. Price |
|-------|--|----------|-------------|-----|-------------|
| | Performance Optimized | 370-AAIP | | | |
| | 3200MT/s RDIMMs | 370-AEVR | | | |
| | RAID 5 | 780-BCDP | | | |
| | PERC H755 SAS Front | 405-AAZB | | | |
| | Front PERC Mechanical Parts, front load | 750-ACFR | | | |
| | Power Saving Dell Active Power Controller | 750-AABF | | | |
| | UEFI BIOS Boot Mode with GPT Partition | 800-BBDM | | | |
| | Standard Fan Cold Swap 2U,V2 x5 | 750-ADIN | | | |
| | Dual, Hot-plug, PSU (1+1), 800, Mixed Mode, NAF | 450-AIQX | | | |
| | 1 CPU, 1x16 LP+ 1x8(x4 link) LP | 330-BBWI | | | |
| | PowerEdge R550 Motherboard with Broadcom 5720 Dual Port 1Gb On-Board LOM | 329-BGIB | | | |
| | iDRAC9, Enterprise 15G | 385-BBQV | | | |
| | Broadcom 5720 Quad Port 1GbE BASE-T Adapter, OCP NIC 3.0 | 540-BCOB | | | |
| | PowerEdge 2U LCD Bezel | 325-BEBV | | | |
| | Dell EMC Luggage Tag R550 | 350-BCFM | | | |
| | BOSS-S2 controller card + with 2 M.2 240GB (RAID 1) | 403-BCMG | | | |
| | BOSS S2 cables and Bracket for R750xs | 403-BCNU | | | |
| | Quick Sync 2 (At-the-box mgmt) | 350-BCEQ | | | |
| | iDRAC, Factory Generated Password | 379-BCSF | | | |
| | iDRAC Group Manager, Disabled | 379-BCQY | | | |
| | Ubuntu Server Non Factory Install, x64,Reqs Subscription Selection | 634-BOTO | | | |
| | No Media Required | 605-BBFN | | | |
| | Ubuntu Support by Dell, 1yr Premium Sub, 1 Physical with Unlimited VMs | 528-BBVD | | | |
| | Cable Management Arm, 2U | 770-BDRQ | | | |
| | ReadyRails Sliding Rails Without Cable Management Arm | 770-BECC | | | |
| | No Internal Optical Drive | 429-AAIQ | | | |
| | No Systems Documentation, No OpenManage DVD Kit | 631-AACK | | | |
| | PowerEdge R550 Shipping | 340-CVKM | | | |
| | PowerEdge R550 Shipping Material | 343-BBRT | | | |
| | PowerEdge 2U CE, CCC, Marking | 389-DYMQ | | | |
| | Dell/EMC label (BIS) for 3.5" Chassis | 389-DYMS | | | |
| | Dell Hardware Limited Warranty Plus Onsite Service | 859-4568 | | | |
| | ProSupport Next Business Day Onsite Service After Problem Diagnosis 3 Years | 859-4578 | | | |
| | ProSupport 7x24 Technical Support and Assistance 3 Years | 859-4598 | | | |
| | Thank you choosing Dell ProSupport. For tech support, visit //www.dell.com/support or call 1-800- 945-3355 | 989-3439 | | | |
| | 8GB RDIMM, 3200MT/s, Single Rank | 370-AEVO | | | |
| | 4TB NLSAS ISE 12Gbps 7.2K 512n 3.5in Hard Drive | 400-BLLN | | 4 | |
| | Power Cord - C13, 3M, 125V, 15A (North America, Guam, North Marianas, Philippines, Samoa, Vietnam) | 450-AALV | | 2 | |
| | Broadcom 57416 Dual Port 10GbE BASE-T Adapter, PCle Low Profile | 540-BBVJ | | | |
| 3 | PowerEdge R650 Server | 210-AYJZ | \$11,714.08 | 3 | \$35,142.24 |
| | 8x2.5 Front Storage | 379-BEIC | | | |
| | SAS/SATA Backplane | 379-BDSS | | | |
| | No Rear Storage | 379-BDTE | | | |
| | Trusted Platform Module 2.0 V3 | 461-AAIG | | | |

| Line# Description | Product # | Unit Price | Qty | Ext. Price |
|--|-----------|------------|-----|------------|
| 2.5" Chassis with up to 8 Hard Drives (SAS/SATA), 3 PCIe Slots, 2 CPU | 321-BGHH | | | |
| Intel Xeon Gold 5315Y 3.2G, 8C/16T, 11.2GT/s, 12M Cache, Turbo, HT (140W) DDR4-2933 | 338-CBWM | | | |
| Intel Xeon Gold 5315Y 3.2G, 8C/16T, 11.2GT/s, 12M Cache, Turbo, HT (140W) DDR4-2933 | 338-CBWM | | | |
| Additional Processor Selected | 379-BDCO | | | |
| Heatsink for 2 CPU configuration (CPU less than or equal to 165W) | 412-AAVP | | | |
| Performance Optimized | 370-AAIP | | | |
| 3200MT/s RDIMMs | 370-AEVR | | | |
| Unconfigured RAID | 780-BCDS | | | |
| PERC H755 SAS Front | 405-AAZB | | | |
| Front PERC Mechanical Parts, front load | 750-ACFR | | | |
| Power Saving Dell Active Power Controller | 750-AABF | | | |
| UEFI BIOS Boot Mode with GPT Partition | 800-BBDM | | | |
| 4 Standard Fans for 2 CPU | 750-ADII | | | |
| Dual, Hot-plug, PSU (1+1), 800, Mixed Mode, NAF | 450-AIQX | | | |
| Riser Config 0, 2CPU, Half Length, Low Profile, 3 x16 Slots, SW GPU Capable | 330-BBRP | | | |
| PowerEdge R650 Motherboard with Broadcom 5720 Dual Port 1Gb On-Board LOM | 329-BFGW | | | |
| iDRAC9, Enterprise 15G | 385-BBQV | | | |
| Broadcom 57414 Dual Port 10/25GbE SFP28, OCP NIC 3.0 | 540-BCOC | | | |
| LCD Bezel | 325-BECJ | | | |
| Luggage Tray x8 and x10 Chassis, R650 | 350-BCEI | | | |
| BOSS-S2 controller card + with 2 M.2 240GB (RAID 1) | 403-BCMG | | | |
| BOSS Cables and Bracket for R650 | 403-BCNP | | | |
| Quick Sync 2 (At-the-box mgmt) | 350-BBXN | | | |
| iDRAC,Factory Generated Password | 379-BCSF | | | |
| iDRAC Group Manager, Disabled | 379-BCQY | | | |
| VMware ESXi 7.0 U3 Embedded Image (License Not Included) | 634-BWZG | | | |
| No Media Required | 605-BBFN | | | |
| Cable Management Arm | 770-BDMT | | | |
| ReadyRails Sliding Rails Without Cable Management Arm or Strain Relief Bar | 770-BECD | | | |
| No Systems Documentation, No OpenManage DVD Kit | 631-AACK | | | |
| PowerEdge R650 Shipping | 340-CUQR | | | |
| R650 Ship 8x2.5 | 340-CUQO | | | |
| PowerEdge R650 Non BIS Marking | 389-DYHZ | | | |
| PowerEdge R650 CE, CCC, Marking | 389-DYIB | | | |
| Custom Configuration | 817-BBBB | | | |
| Dell Hardware Limited Warranty Plus Onsite Service | 853-2137 | | | |
| ProSupport Next Business Day Onsite Service After Problem Diagnosis 3 Years | 853-2147 | | | |
| ProSupport 7x24 Technical Support and Assistance 3 Years | 853-2167 | | | |
| Thank you choosing Dell ProSupport. For tech support, visit //www.dell.com/support or call 1-800- 945-3355 | 989-3439 | | | |
| 32GB RDIMM, 3200MT/s, Dual Rank 16Gb BASE x8 | 370-AGDS | | 8 | |
| 480GB SSD SATA Read Intensive 6Gbps 512 2.5in Hot-plug AG Drive, 1 DWPD | 400-AXTV | | | |
| Power Cord - C13, 3M, 125V, 15A (North America, Guam, North Marianas, Philippines, Samoa, Vietnam) | 450-AALV | | 2 | |

| Line# | Description | Product # | Unit Price | Qty | Ext. Price |
|-------|--|-----------------------|------------|-----|------------|
| | Broadcom 5719 Quad Port 1GbE BASE-T Adapter, PCIe Low Profile | 540-BBDF | | | |
| | Broadcom 57416 Dual Port 10GbE BASE-T Adapter, PCIe Low Profile | 540-BBVJ | | | |
| 4 | Installation done by vTECH io Engineer | Professional Services | | 1 | |
| | Computers at Work, Inc. DBA vTech is an authorized Contract Reseller for the Ohio State Term Schedule for Computers, Software, Supplies & Services, Schedule No. 534109, Index No. STS-033, Dealer ID 534109-38 Vendor: Dell Marketing, L.P. The Contract code for Ohio STS transactions is 30AHH | | | | |

| Recurring: | | | Totals: | |
|-------------------|--------------------------------|------------------|-------------|-------------|
| Your investment i | n addition to the Grand Total: | | Subtotal | \$77,839.32 |
| \$0.00 | Billed Monthly | EXAMPLE 1 | Тах | \$0.00 |
| \$0.00 | Billed Quarterly | | Shipping | \$0.00 |
| \$0.00 | Billed Annually | | | |
| | | www.vTECHio.com | Grand Total | \$77,839.32 |

Pricing, Taxes, and Additional Information

All product, pricing, and other information is valid for U.S. customers and U.S. addresses only, and is based on the latest information available and may be subject to change. vTechio reserves the right to cancel quotes and orders arising from pricing or other errors. Sales tax on products shipped is based on your "Ship To" address. Please indicate any tax-exempt status on your PO, and email your exemption certificate to DJ.peterson@vtechio.com . Note: All tax quoted above is an estimate; final taxes will be listed on the invoice. If you have any questions regarding tax please send an e-mail to DJ.peterson@vtechio.com

For certain products shipped to end-users in California, a State Environmental Fee will be applied to your invoice.***A 3.5% convenience fee will be charged for credit card purchases*** By signing this quote you acknowledge having read and agree to be bound by such terms.